




SAURESTA
Metal chimney systems


CATALOGUE

STAINLESS STEEL CHIMNEY SYSTEMS





FLUE LINER L-1 m				
Dimensions mm	0,6	0,6	0,6	0,6
A	110	110	120	120
B	180	220	230	240
m (kg)	2,3	2,65	2,8	2,95



FLUE LINER L-0,5 m				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
m (kg)	1,15	1,13	1,4	1,5




FLUE LINER L-0,25 m				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
m (kg)	0,57	0,67	0,7	0,75



TEE 45°				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
d (mm)	80-150	120-180	120-200	120-200
C (mm)	150	150	150	150


TEE 87°

Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
d (mm)	80-150	120-180	120-200	120-200
C (mm)	150	150	150	150




CLEANING TEE

Dimensions mm	0,6	0,6	0,6	0,6
A	110	110	120	120
B	180	220	230	240
Ø d	150	150	150	150
H (mm)	330	330	330	330
m (kg)	1,05	1,2	1,25	1,25




DRAIN PLUG

Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
H (mm)	70	70	70	70
m (kg)	0,3	0,35	0,35	0,4




BASE PLUG

Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
H (mm)	70	70	70	70
m (kg)	0,3	0,35	0,35	0,4




INCREASER

Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
Ø d (mm)	80-150	120-180	120-200	120-200
H (mm)	210	210	210	210







ROOF PLATE				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
C (mm)	180	220	230	240
L (mm)	300	300	300	300
K (mm)	360	360	360	360
m (kg)	0,75	0,8	0,8	0,9




TERMINAL				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	110	110	120	120
B (mm)	180	220	230	240
D (mm)	360	400	400	400
C (mm)	350	350	350	350
L (mm)	250	250	250	250
m (kg)	1,0	1,1	1,1	1,2




DEFLEKTOR				
Dimensions mm	0,5	0,5	0,5	0,5
C (mm)	110	110	120	120
B (mm)	180	220	230	240
A (mm)	300	340	350	360
H (mm)	270	270	270	270
m (kg)	1,0	1,1	1,1	1,2



SPARK CATCHER				
Dimensions mm	0,5	0,5	0,5	0,5
A (mm)	110	110	120	120
B (mm)	180	220	230	240
L (mm)	360	400	400	400
C (mm)	350	350	350	350
H (mm)	250	250	250	250
m (kg)	1,2	1,3	1,3	1,4



SPACER SHAFT				
Dimensions mm	0,6	0,6	0,6	0,6
A (mm)	115	115	125	125
B (mm)	185	225	235	245
m (kg)	0,1	0,15	0,15	0,15



WARNING: Installation, operation and maintenance of the products, manufactured by SAURESTA UAB, shall be always in all cases performed in guidance and compliance with the relevant national and/or international laws and standards, which regulate the procedures of installation, operation and maintenance of the respective products, and fire safety requirements. If the relevant act of legislation sets other requirements than the requirement specified in manual, the compliance with more stringent requirements is obligatory in all cases. For more information - www.sauresta.com